



max paw

FELINE STOMATITIS SUPPORT

Before Full-Mouth Extraction, Explore Another Treatment Path.

StomaHeal Antiviral Therapy for Feline Stomatitis



Targets the
viral background



Supports gums
and mouth comfort



Non-steroid
tablet option



A path worth understanding before an irreversible decision.

Individual response varies. StomaHeal is not a guarantee that extraction will be avoided.

When Every Bite Hurts

Common signs of feline stomatitis

- ✓ **Pain while eating**
Hesitates, cries out, or walks away after a few bites.
- ✓ **Red or bleeding gums**
Inflammation may extend toward the back of the mouth.
- ✓ **Drooling and bad breath**
Saliva may be thick, foul-smelling, or blood-tinged.
- ✓ **Appetite and weight loss**
Eating less can quickly affect energy and body weight.

Is Your Cat Showing These Signs?

Common Symptoms of Feline Stomatitis



Pain While Eating
Avoiding food or showing discomfort while eating.



Red, Swollen Gums
Gums look inflamed, bright red, or bleeding.



Drooling & Bad Breath
Excessive drooling or unpleasant odor.



Weight Loss / Low Appetite
Eating less, losing weight, or becoming less active.

Why can stomatitis keep coming back?

Feline chronic gingivostomatitis is complex. Immune response, oral microbiome changes, and viral associations may all be part of the picture. That is why short-term symptom control may not address every contributing factor.

THE DECISION BEFORE EXTRACTION

Explore a treatment path before committing to full-mouth extraction.

StomaHeal is designed for persistent feline stomatitis where viral activity may be part of the problem. It gives cat parents another treatment path to explore before committing to an irreversible full-mouth extraction decision. Individual needs and responses vary.

Multi-Target Oral Support

STOMAHEAL

One tablet path. Three support goals.

Built for cats dealing with persistent oral inflammation, painful eating, drooling, mouth ulcers, or recurring discomfort.



1

Calm inflammation

Helps support irritated gums and throat tissues so the mouth can become more comfortable.

2

Target viral background

Designed for stomatitis cases where viral activity may be one of the contributing factors.

3

Support recovery

Supports oral comfort and mucosal recovery as part of a consistent treatment cycle.

What makes this path different?



Non-steroid option

A targeted path beyond repeated short-term symptom masking.



Simple tablet routine

Weight-based dosing, given morning and evening.



Pre-extraction alternative

Designed as another treatment path to explore before full-mouth extraction.



Trackable outcomes

Monitor eating comfort, drooling, visible gums, energy, and weight.

Dosage & Treatment Cycle

Follow current MaxPaw product directions and monitor your cat throughout the cycle.

Twice daily - morning and evening

Allow 10-12 hours between doses

Cats under 10 lbs



1 tablet per dose

Each serving; give twice daily

Cats 10 lbs and over



2 tablets per dose

Each serving; give twice daily

Recommended cycle by current symptom severity

MILD

4-6 weeks

Slight redness or occasional bad breath

MODERATE

6-8 weeks

Visible inflammation, ulcers, drooling, eating hesitation

SEVERE FCGS

8-12+ weeks

Bleeding gums, extensive ulcers, heavy drooling, food refusal

MONITOR AND ADJUST

Do not judge the plan by one good day.

Track eating comfort, drooling, mouth odor, visible inflammation, energy, and weight. Contact MaxPaw if symptoms worsen, persist, or return during the cycle. Do not stop early or change the dosage without guidance.

Urgent: prompt care is needed for food refusal, rapid weight loss, heavy bleeding, or severe pain.

Is the Mouth Becoming More Comfortable?



Eating

Approaches food, finishes more, or chews with less hesitation.



Drooling & odor

Less saliva, less blood-tinged drool, and reduced mouth odor.



Visible mouth

Redness, swelling, or ulcers appear calmer over time.



Energy & weight

More grooming and play, steadier appetite, stable weight.

Three quick questions

Only for FCV-positive cats?

No. FCGS is complex; StomaHeal is positioned where viral activity may be part of the picture.

Is it intended before extraction?

Yes. StomaHeal is positioned as another treatment path before deciding on full-mouth extraction.

When should I consider it?

When stomatitis remains persistent and full-mouth extraction is being considered as the next step.

**Before an irreversible decision,
see if StomaHeal fits your cat.**

Scan for current product details, support, and ordering options.

[MAXPAWHEALTH.COM](https://maxpawhealth.com)

